

CONTROL APPROVAL SYMBOL
SPMCS-85

WEEKLY HEALTH REPORT


CURRENT MORBIDITY DATA FOR THE ARMY
IN THE CONTINENTAL UNITED STATES

WEEK ENDING 22 DECEMBER 1944

CLASSIFICATION CANCELLED

by authority of
THE SURGEON GENERAL

RESTRICTED DATE MAY 5 - 1947

Colonel Malcolm E. Beckham, MAC
Historical Division, AMLARMY
MEDICAL
APR 3 1947
LIBRARYSPECIAL SECTION
ON
VENEREAL DISEASE
SEE PAGES 23-31

**THIS DOCUMENT CONTAINS
INFORMATION AFFECTING THE
NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE
MEANING OF THE ESPIONAGE
ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION
OR THE REVELATION OF ITS
CONTENTS IN ANY MANNER
TO AN UNAUTHORIZED PERSON
IS PROHIBITED BY LAW.**

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDING 22 DECEMBER 1944

| | PAGE |
|---|------|
| NATURE OF THE DATA | 2 |
| COMMENT ON CURRENT TRENDS | 4 |
| SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS | 8 |
| MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER | 10 |
| STATIONS WITH HIGHEST MORBIDITY RATES | 21 |
| CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST | 22 |

ANALYSIS OF VENEREAL DISEASE DATA IN NOVEMBER

| | |
|--|----|
| COMMENT ON CURRENT TRENDS | 23 |
| MORBIDITY DATA FOR INDIVIDUAL STATIONS WITH COLORED STRENGTH OF 1000 OR MORE | 29 |

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, Form 86ab, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases hospitalized or confined to quarters and excused from duty for 24 hours or longer, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all traumas other than battle casualties (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, and reactions to medications as well as various types of wounds not due to enemy action). Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease." It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis.

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for each of the Service Commands. This ratio may not be significant when the strength of a Command is changing markedly or when a Command has a relatively large number of General Hospitals.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on Forms 86ab is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 15 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table.

EXPLANATORY MATTER

In reading the detail tables, it should be borne in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.

MORBIDITY FROM


ALL CAUSES

DISEASE ONLY

COLDS, INFLUENZA, ETC.

RESTRICTED

CONTINENTAL UNITED STATES



RESTRICTED

MORBIDITY FROM


ALL CAUSES

----- DISEASE ONLY

..... COLDS, INFLUENZA, ETC.

VARIATIONS BY SERVICE COMMAND

CONTINENTAL UNITED STATES



COMMENT ON CURRENT TRENDS

CURRENT MORBIDITY IN THE CONTINENTAL UNITED STATESAll Causes: Disease and Injury:

During the week ending 22 December 1944 the admission rate from all causes decreased by more than 10 percent to 541 per year per thousand strength, which is the lowest morbidity recorded since the week ending 1 September. This decrease in the admission rate is characteristic of Xmas time. The current week's morbidity is more than 50 percent lower than during the corresponding week of 1943, when an outbreak of common respiratory infections had just passed its peak. Morbidity from disease also decreased sharply during the current week to 488 per thousand strength.

The admission rate from injury declined to 53 per thousand, which is the lowest rate recorded so far this year. However, the present experience is not strictly comparable with admission rates reported prior to October, since in large part it reflects compliance with the directive issued 29 September 1944, which provided that injuries existing prior to entry into active service and readmitted cases should be recorded under "disease" rather than under "injury;" previously they had been reported as "injuries."

Respiratory Causes:

Morbidity from colds, influenza, etc. decreased by about 10 percent to 111 per thousand for the current week. Because during the corresponding week of 1943 there was a sharp outbreak of upper respiratory infections, the current week's admission rate from colds, influenza, etc. is about 80 percent lower than last year.

The admission rate from pneumonia remained at 11 per thousand. Morbidity from this cause is almost 50 percent below that for the corresponding week of 1943.

Common Communicable Diseases:

Morbidity from venereal diseases, excluding cases contracted prior to entry into active service, increased slightly to 40 per thousand as compared with the level of 39 per thousand for the previous three weeks. The current experience is thus only slightly lower than the record high rates registered for this year during the last weeks of October and November. Current morbidity from these causes is about 60 percent higher than for the corresponding week of 1943.

Morbidity from diarrhea and dysentery continued for the third consecutive week at the relatively low seasonal level of 7 per thousand. The number of new cases of meningitis increased somewhat to 25, which is about the same as the average for the previous three weeks. New cases of rheumatic fever numbered 49, or about the same as in the preceding week. The number of new cases of mumps increased sharply from 149 to 203 for the current week.


VARIATIONS IN MORBIDITY BY SERVICE COMMANDAll Causes: Disease and Injury:

The admission rate from disease decreased in every Service Command with the greatest declines (15 percent or more) being reported by the First and Third Service Commands and the Military District of Washington. In no Service Command was the decrease less than 5 percent.

The Second Service Command reported the highest morbidity from all causes (703 per thousand) and from disease (655 per thousand). The lowest morbidity from all causes (461 per thousand) and from disease (425 per thousand) was registered in the Military District of Washington, closely followed by the Eighth Service Command with a disease rate of 436 per thousand.


NON-EFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING UNDER TREATMENT

CONTINENTAL UNITED STATES



COMMENT ON CURRENT TRENDS (CONT'D)

The admission rate from injury decreased in all Service Commands except the Second where only a slight increase was reported; the greatest declines were registered in the First and Sixth Service Commands. The Fourth Service Command continued to report the highest admission rate (63 per thousand) and in fact was the only Command to report morbidity in excess of 55 per thousand.

Respiratory Causes:

The admission rate from colds, influenza, etc. decreased in the majority of the Service Commands, the greatest decreases were reported in the Third and Fourth Service Commands. Moderate increases were registered in the First and Second Service Commands. The Second and Sixth Service Commands reported the highest morbidity from colds, influenza, etc. (about 150 per thousand) followed by the First and Third Service Commands (about 140 per thousand). The lowest admission rate was reported by the Fourth Service Command (92 per thousand).

Morbidity from pneumonia showed only minor fluctuations by Service Command as compared with the previous week. The Military District of Washington, with a rate of 19 per thousand, reported the highest morbidity from this cause, followed by the Sixth and Eighth Service Commands (14 per thousand).

Common Communicable Diseases:

Morbidity from "new" venereal diseases (excluding EPTS cases) remained about the same in most Service Commands. However, sizeable increases were reported by the First and Second Service Commands, and no Command showed other than a fractional decrease. The highest morbidity from these causes was reported by the First, Second, and Third Service Commands, all of which had rates of about 65 per thousand. The relatively high morbidity in these Commands is due in

large part to the presence of task force and replacement troops not under their jurisdiction.

Morbidity from diarrhea and dysentery continued low in all Service Commands, with none reporting a rate as high as 10 per thousand. The sharp rise in the number of new cases of mumps for the country as a whole arose primarily from notable increases in the Third, Eighth, and Ninth Service Commands; the relatively large number of cases in the Third Service Command was accounted for almost entirely by an outbreak at Indian-town Gap, Pa.

NON-EFFECTIVE RATE:

The non-effective rate increased for the twenty-third consecutive week to 56.2 per thousand; this is the highest rate recorded during this war. More than 30 percent of the current non-effective rate arises from days of treatment for cases evacuated from overseas theaters. The non-effective rate for personnel stationed in this country is estimated to be lower than in 1943.

PATIENTS REMAINING UNDER TREATMENT: 22 December 1944:

The number of neuropsychiatric cases remaining was reported at 21,510 or about 650 more than at the end of the previous week and thus the highest reported so far in this war. The number of non-battle injury patients remaining was reported at about 28,700 which is the lowest level during the past six months. The number of battle casualty patients remaining increased by about 2,100 to number 35,336.

CERTIFICATES OF DISABILITY FOR DISCHARGE:

During the week ending 22 December there were 4,926 enlisted men discharged by CDD or about 600 more than the previous week. About 55 percent of these discharges were reported by General Hospitals. Included among the 4,926 CDD's were 1,801 neuropsychiatric cases.

WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

CONFIDENTIAL

| SERVICE COMMAND | MEAN STRENGTH | A D M I S S I O N S | | | | | | | | | | | | | | | | MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH |
|--|------------------|----------------------------------|-----------------|------------------|-----------------|------------------|-----------------|---------------------------------------|-----------------|-------------------------------|-----------------|---------------------------|-----------------|--------------------------|-----------------|------------------|-----------------|--|
| | | ANNUAL RATE PER 1000 STRENGTH | | | | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | | | | | | | |
| | | ALL CAUSES | | DISEASE | | INJURY | | COLDS, INFLU- ENZA, ETC.* | | PNEUMONIA (INCL. ATYPICAL) | | DIARRHEA AND DYSENTERY | | VENEREAL (EXCL. EPTI) | | | | |
| C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K | | | | | | | | | | | | | | | | | | |
| | Current Week | Previous Week | Current Week | Previous Week | Current Week | Previous Week | Current Week | Previous Week | Current Week | Previous Week | Current Week | Previous Week | Current Week | Previous Week | Current Week | Previous Week | Current Week | Previous Week |
| TOTAL UNITED STATES | 3151735 | 3199639 | 541 | 607 | 488 | 550 | 53 | 57 | 111 | 120 | 11 | 11 | 7 | 7 | 40 | 39 | 56.2 | 55.7 |
| FIRST SERVICE COMMAND | 78605 | 79877 | 607 | 732 | 558 | 675 | 49 | 57 | 143 | 133 | 7 | 7 | 3? | 8 | 63 | 57 | 75.3 | 75.3 |
| SECOND SERVICE COMMAND | 173605 | 180864 | 703 | 734 | 655 | 687 | 48 | 47 | 153 | 136 | 7 | 8 | 4 | 6 | 65 | 52 | 82.8 | 81.1 |
| THIRD SERVICE COMMAND | 180352 | 177505 | 620 | 746 | 580 | 699 | 40 | 47 | 136 | 150 | 10 | 9 | 3 | 6 | 62 | 62 | 65.5 | 66.2 |
| MIL. DIST. OF WASHINGTON | 52938 | 54119 | 461 | 587 | 425 | 548 | 36 | 39 | 129 | 140 | 19 | 10 | 3? | 9 | 18 | 24 | 72.4 | 72.8 |
| FOURTH SERVICE COMMAND | 817092 | 826910 | 546 | 626 | 483 | 559 | 63 | 67 | 92 | 110 | 11 | 12 | 9 | 8 | 39 | 40 | 49.4 | 49.0 |
| FIFTH SERVICE COMMAND | 133098 | 133952 | 515 | 549 | 465 | 495 | 50 | 54 | 131 | 130 | 7 | 11 | 6 | 4 | 52 | 53 | 136.5 | 133.6 |
| SIXTH SERVICE COMMAND | 105142 | 106052 | 548 | 659 | 512 | 599 | 36 | 60 | 150 | 159 | 14 | 17 | 5 | 5 | 34 | 35 | 88.9 | 86.9 |
| SEVENTH SERVICE COMMAND | 290511 | 304366 | 542 | 576 | 499 | 528 | 43 | 48 | 100 | 101 | 6 | 12 | 8 | 5 | 36 | 35 | 52.5 | 51.4 |
| EIGHTH SERVICE COMMAND | 792616 | 800836 | 491 | 546 | 436 | 489 | 55 | 57 | 110 | 121 | 14 | 11 | 9 | 9 | 36 | 36 | 40.8 | 40.6 |
| NINTH SERVICE COMMAND | 527776 | 535158 | 529 | 583 | 476 | 528 | 53 | 55 | 107 | 116 | 10 | 10 | 5 | 7 | 32 | 29 | 48.7 | 48.9 |
| C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R | | | | | | | | | | | | | | | | | | |
| | Current Year | Previous Year | Current Year | Previous Year | Current Year | Previous Year | Current Year | Previous Year | Current Year | Previous Year | Current Year | Previous Year | Current Year | Previous Year | Current Year | Previous Year | Current Year | Previous Year |
| TOTAL UNITED STATES | 4029499 | 5043983 | 632 | 817 | 565 | 736 | 67 | 81 | 147 | 237 | 12 | 16 | 9 | 12 | 33 | 28 | 40.6 | 36.3 |
| FIRST SERVICE COMMAND | 106775 | 162383 | 622 | 686 | 564 | 620 | 58 | 66 | 158 | 238 | 10 | 16 | 8 | 8 | 36 | 19 | 42.8 | 31.2 |
| SECOND SERVICE COMMAND | 213701 | 269138 | 730 | 896 | 671 | 825 | 59 | 71 | 191 | 300 | 11 | 15 | 9 | 10 | 44 | 34 | 51.4 | 37.7 |
| THIRD SERVICE COMMAND | 255949 | 313550 | 694 | 790 | 634 | 721 | 60 | 69 | 178 | 228 | 14 | 17 | 7 | 7 | 37 | 33 | 44.8 | 36.6 |
| MIL. DIST. OF WASHINGTON | 60697 | 59148 | 666 | 666 | 623 | 625 | 43 | 41 | 161 | 230 | 16 | 29 | 4 | 8 | 16 | 20 | 69.7 | 60.8 |
| FOURTH SERVICE COMMAND | 1079315 | 1332339 | 622 | 790 | 549 | 703 | 73 | 87 | 125 | 221 | 11 | 16 | 11 | 19 | 33 | 31 | 35.7 | 33.9 |
| FIFTH SERVICE COMMAND | 185374 | 218364 | 650 | 878 | 584 | 810 | 66 | 68 | 156 | 280 | 12 | 18 | 12 | 17 | 47 | 30 | 64.7 | 43.3 |
| SIXTH SERVICE COMMAND | 160344 | 206724 | 686 | 955 | 630 | 885 | 56 | 70 | 194 | 362 | 20 | 22 | 4 | 5 | 38 | 26 | 47.9 | 35.6 |
| SEVENTH SERVICE COMMAND | 381419 | 448331 | 681 | 1002 | 618 | 923 | 63 | 79 | 198 | 366 | 18 | 29 | 8 | 8 | 31 | 24 | 40.9 | 42.6 |
| EIGHTH SERVICE COMMAND | 929244 | 1059244 | 579 | 797 | 507 | 712 | 72 | 85 | 123 | 190 | 10 | 13 | 9 | 11 | 32 | 32 | 34.4 | 34.8 |
| NINTH SERVICE COMMAND | 656681 | 974762 | 621 | 764 | 551 | 678 | 70 | 86 | 146 | 203 | 8 | 10 | 7 | 7 | 28 | 22 | 41.3 | 35.9 |

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME IV REPORT NO. 51
WEEK ENDING 22 December 1944

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

| SERVICE COMMAND | MEAN STRENGTH* | A D M I S S I O N S NUMBER OF CASES | | | | | | | | | | | | NUMBER OF DEATHS | | | | NUMBER OF DISPOSITIONS BY COD |
|--------------------------|-------------------|--|-------|------------------|------------------------|--------------------|-----------------------|-------------------------|---------------------|---------------|--------------|--|--|------------------|---------|--------|--------------------|-------------------------------------|
| | | MEASLES | MUMPS | SCARLET FEVER | M'COCCIG MENINGITIS | RHEUMATIC FEVER | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | MALARIA ACQUIRED | | TUBERCULOSIS | | | ALL CAUSES | DISEASE | INJURY | BATTLE CASUALTY | |
| | | | | | | | | | IN USA | OUT OF USA | | | | | | | | |
| C U R R E N T W E E K | | | | | | | | | | | | | | | | | | |
| TOTAL UNITED STATES | 3151735 | 20 | 203 | 51 | 25 | 49 | 443 | 58 | 5 | 921 | 79 | | | 135 | 37 | 95 | 3 | 4926 |
| FIRST SERVICE COMMAND | 78605 | 1 | 13 | 2 | | 1 | 7 | 1 | | 39 | 1 | | | 6 | 2 | 4 | | 192 |
| SECOND SERVICE COMMAND | 173605 | 1 | 10 | 3 | 1 | | 13 | 4 | | 84 | 5 | | | 4 | 1 | 3 | | 306 |
| THIRD SERVICE COMMAND | 180352 | 2 | 55 | 1 | 1 | 2 | 26 | 5 | | 62 | 3 | | | 5 | 3 | 2 | | 348 |
| MIL. DIST. OF WASHINGTON | 52938 | | | | | | 18 | 1 | | 13 | 2 | | | 1 | | | 1 | 107 |
| FOURTH SERVICE COMMAND | 817092 | 4 | 48 | 5 | 9 | 3 | 119 | 12 | 1 | 220 | 20 | | | 27 | 7 | 20 | | 1287 |
| FIFTH SERVICE COMMAND | 133098 | 2 | 3 | 2 | | 3 | 7 | 6 | 1 | 38 | 5 | | | 11 | 3 | 7 | 1 | 426 |
| SIXTH SERVICE COMMAND | 105142 | | 1 | 6 | 1 | 1 | 19 | 2 | | 42 | 1 | | | 7 | 2 | 5 | | 198 |
| SEVENTH SERVICE COMMAND | 290511 | | 13 | 5 | | 11 | 16 | 1 | 1 | 52 | 7 | | | 16 | 3 | 12 | 1 | 591 |
| EIGHTH SERVICE COMMAND | 792616 | 4 | 29 | 10 | 7 | 12 | 153 | 24 | 1 | 216 | 27 | | | 36 | 8 | 28 | | 917 |
| NINTH SERVICE COMMAND | 527776 | 6 | 31 | 17 | 6 | 16 | 70 | 2 | 1 | 155 | 8 | | | 22 | 8 | 14 | | 554 |
| P R E V I O U S W E E K | | | | | | | | | | | | | | | | | | |
| TOTAL UNITED STATES | 3199639 | 21 | 149 | 51 | 22 | 51 | 439 | 92 | 13 | 955 | 61 | | | 117 | 40 | 75 | 2 | 4310 |
| FIRST SERVICE COMMAND | 79877 | | 16 | 2 | | 2 | 8 | 1 | 3 | 37 | | | | 1 | 1 | | | 169 |
| SECOND SERVICE COMMAND | 180864 | | 12 | 3 | | 2 | 20 | 4 | | 89 | 5 | | | 7 | 4 | 2 | 1 | 326 |
| THIRD SERVICE COMMAND | 177505 | 4 | 22 | 2 | 1 | 3 | 23 | 6 | | 67 | | | | 8 | 3 | 5 | | 328 |
| MIL. DIST. OF WASHINGTON | 54119 | 1 | 3 | | | | 6 | 3 | 1 | 16 | 1 | | | 3 | 3 | | | 111 |
| FOURTH SERVICE COMMAND | 826910 | 4 | 39 | 11 | 10 | 6 | 132 | 24 | 4 | 211 | 15 | | | 29 | 6 | 23 | | 908 |
| FIFTH SERVICE COMMAND | 133952 | 2 | 3 | 1 | 1 | | 10 | 4 | | 51 | 5 | | | 7 | 2 | 5 | | 346 |
| SIXTH SERVICE COMMAND | 106052 | | 4 | 2 | | 3 | 23 | | | 59 | 11 | | | 1 | | 1 | | 162 |
| SEVENTH SERVICE COMMAND | 304366 | 3 | 18 | 6 | 5 | 14 | 23 | 13 | | 65 | 4 | | | 17 | 8 | 9 | | 623 |
| EIGHTH SERVICE COMMAND | 800836 | | 19 | 17 | 2 | 7 | 115 | 18 | 3 | 205 | 15 | | | 29 | 8 | 21 | | 822 |
| NINTH SERVICE COMMAND | 535158 | 7 | 13 | 7 | 3 | 14 | 49 | 9 | 2 | 155 | 5 | | | 15 | 5 | 9 | 1 | 515 |

CONFIDENTIAL

[illegible]

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

- 10 -

CONFIDENTIAL

[illegible]

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

- 11 -

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 51
WEEK ENDING 22 December 1944

| SERVICE COMMAND AND STATION | MEAN STRENGTH** | ADMISSIONS | | | | | | | | | | | | | | NUMBER OF DEATHS | | | NUMBER OF DISPOSITIONS BY CDD |
|--|--------------------|----------------------------------|---------|--------|---------------------------------------|--------------------------------------|------------------------------|----------------------------------|-----------------|-------|------------------|------------------------|--------------------|-----------------------|-------------------------|------------------------|---------|--------|-------------------------------------|
| | | ANNUAL RATE PER 1000 STRENGTH | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | NUMBER OF CASES | | | | | | | | | | |
| | | ALL CAUSES | DISEASE | INJURY | COLDS, INFLUENZA, ETC. | PNEUMONIA (INCLUDING ATYPICAL) | DIARRHEA AND DYSENTERY | VENEREAL (EXCLUDING EPTS*) | MEASLES | MUMPS | SCARLET FEVER | M'COCCIC MENINGITIS | RHEUMATIC FEVER | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | ALL CAUSES | DISEASE | INJURY | |
| THIRD SERVICE COMMAND | 180352 | 620 | 580 | 40 | 136 | 10 | 3 | 62 | 2 | 55 | 1 | 1 | 2 | 26 | 5 | 5 | 3 | 2 | 348 |
| Aberdeen Prov. Grd., Md. | 20566 | 404 | 364 | 40 | 72 | 15 | | 48 | | 3 | | | | 4 | | | | | 10 |
| Geo. G. Meade, Ft., Md. (RH) # | 27606 | 861 | 835 | 26 | 149 | 23 | 6? | 96 | | 3 | 1 | | | 9 | 3 | | | | 32 |
| Hampton Roads, PoE, Va. | 8248 | 662 | 605 | 57 | 57 | 6? | | 132 | | 1 | | | | 1 | | | | | 6 |
| Indiantown Gap, Pa. | 17235 | 808 | 769 | 39 | 211 | 6? | | 69 | | 40 | | | | 2 | | | | | 9 |
| Langley Fld., Va. (RH) | 9176 | 374 | 340 | 34 | 57 | | | 28? | | 1 | | | | | | | | | 20 |
| Lee, Cp., Va. (RH) | 25724 | 447 | 429 | 18 | 119 | 16 | | 83 | 1 | 3 | | | 2 | 3 | | | | | |
| Pickett, Cp., Va. | 8129 | 326 | 294 | 32? | 38 | 19? | 6? | 45 | | 3 | | | | 3 | 1 | | | | 8 |
| | | | | | | | | | | | | | | | | | | | |
| TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS. | 63668 | 669 | 616 | 53 | 171 | 3? | 6 | 40 | 1 | 1 | | 1 | | 4 | 1 | 5 | 3 | 2 | 263 |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| MIL. DIST. OF WASH. | 52938 | 461 | 425 | 36 | 129 | 19 | 3? | 18 | | | | | | 18 | 1 | 1 | | | 107 |
| | | | | | | | | | | | | | | | | | | | |
| Belvoir, Ft., Va. | 16881 | 512 | 453 | 59 | 49 | 40 | | 25 | | | | | | 13 | 1 | | | | 6 |
| Myer, Ft., Va. | 5535 | 498 | 479 | 9? | 169 | 19? | | 28? | | | | | | 2 | | | | | |
| Wash. Gen. Disp., D. C. | 8798 | 532 | 526 | 6? | 296 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS | 21724 | 388 | 350 | 38 | 113 | 10? | 7? | 17 | | | | | | 3 | | 1 | | | 101 |

FORM SG-396 REVISED 1 DECEMBER 1944 * DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
**SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 51
WEEK ENDING 22 December 1944

| SERVICE COMMAND AND STATION | MEAN STRENGTH** | ADMISSIONS | | | | | | | | | | | | | | NUMBER OF DEATHS | | | NUMBER OF DISPOSITIONS BY CDD |
|-----------------------------------|--------------------|----------------------------------|---------|--------|---------------------------------------|--------------------------------------|------------------------------|----------------------------------|---------|-----------------|------------------|------------------------|--------------------|-----------------------|-------------------------|------------------------|---------|--------|-------------------------------------|
| | | ANNUAL RATE PER 1000 STRENGTH | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | | NUMBER OF CASES | | | | | | | | | |
| | | ALL CAUSES | DISEASE | INJURY | COLDS, INFLUENZA, ETC. | PNEUMONIA (INCLUDING ATYPICAL) | DIARRHEA AND DYSENTERY | VENEREAL (EXCLUDING EPTS*) | MEASLES | MUMPS | SCARLET FEVER | M'COCCIC MENINGITIS | RHEUMATIC FEVER | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | ALL CAUSES | DISEASE | INJURY | |
| FOURTH SERVICE COMMAND | 817092 | 546 | 483 | 63 | 92 | 11 | 9 | 39 | 4 | 48 | 5 | 9 | 3 | 119 | 12 | 27 | 7 | 20 | 1287 |
| Avon Park, AAF, Fla. | 5733 | 235 | 181 | 54 | 27? | | | 18? | | | | | | | | | | | 1 |
| Benning, Ft., Ga. (RH) | 77014 | 780 | 646 | 134 | 123 | 7 | 2? | 57 | | 24 | | 1 | | 3 | | 2 | 1 | 1 | 49 |
| Blanding, Cp., Fla. (RH) | 55041 | 626 | 549 | 77 | 167 | 27 | 9 | 10 | 1 | | 1 | 2 | | 25 | 2 | 2 | | 2 | 66 |
| Boca Raton Fld., Fla. | 16080 | 288 | 265 | 23 | 55 | 6? | 23 | 10? | | | | | | 2 | | | | | 4 |
| Bragg, Ft., N. C. (RH) | 35784 | 539 | 506 | 33 | 97 | 16 | | 31 | | 3 | | | | 9 | 1 | | | | 31 |
| Buckingham, AAF, Fla. | 11799 | 208 | 190 | 18? | 44 | | | 13? | | | | | | | | | | | |
| Butner, Cp., N. C. | 23365 | 574 | 501 | 73 | 27 | 2? | 11? | 53 | | 2 | | | | | 1 | | | | 46 |
| Charleston, AAF, S. C. | 5439 | 306 | 258 | 48? | 29? | | | 38? | | | | | | | | | | | 6 |
| Charleston, PoE, S. C. | 7876 | 621 | 588 | 33? | 152 | | 26? | 46 | | 1 | | | | | | | | | 11 |
| Chatham Fld., Ga. | 5276 | 484 | 306 | 178 | 89 | | 10? | | | | | | | | | 8 | | 9 | |
| Croft, Cp., S. C. | 19000 | 807 | 698 | 109 | 167 | 19 | 11? | 19 | | 1 | | 2 | | 2 | | | | | 39 |
| Drew Fld., Fla. (RH) | 16333 | 312 | 293 | 19 | 29 | 3? | 10? | 35 | | | | | | | | | | | 7 |
| Dyersburg, AAF, Tenn. | 5124 | 913 | 701 | 112 | 193 | | | 81 | | 1 | | | | | | | | | 3 |
| Eglin Fld., Fla. (RH) | 7770 | 288 | 241 | 47 | 54 | | 20? | 33? | | | | | | | | | | | 10 |
| Gordon, Cp., Ga. | 22260 | 979 | 902 | 77 | 121 | 7? | 9? | 26 | | | | | | | | | | | 18 |
| Gordon Johnston, Cp., Fla. | 11160 | 363 | 326 | 37 | 19? | 9? | | 14? | | 1 | | | | 2 | | | | | 11 |
| Greensboro, AAFORD, N.C. (RH) | 10792 | 347 | 318 | 29 | 72 | 53 | 5? | 53 | | | | | | 9 | 1 | | | | 9 |
| Greenville, AAB, S. C. | 5002 | 593 | 499 | 94 | 146 | 21? | | 94 | | | | | | | | 2 | 1 | 1 | 5 |
| Gulfport, AAF, Miss. | 6338 | 779 | 722 | 57 | 197 | | | 66 | | | | | 1 | | | | | | 6 |
| Hunter Fld., Ga. (RH) | 6530 | 479 | 438 | 40? | 112 | | 8? | 48 | | | | 1 | | | | | | | 6 |

FORM SG-396 REVISED 1 DECEMBER 1944

*DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 51
WEEK ENDING 22 December 194 4

| SERVICE COMMAND AND STATION | MEAN STRENGTH** | ADMISSIONS | | | | | | | | | | | | | | NUMBER OF DEATHS | | | NUMBER OF DISPOSITIONS BY CDD |
|---|--------------------|----------------------------------|---------|--------|---------------------------------------|--------------------------------------|------------------------------|-----------------------------------|---------|-----------------|------------------|------------------------|--------------------|-----------------------|-------------------------|------------------------|---------|--------|-------------------------------------|
| | | ANNUAL RATE PER 1000 STRENGTH | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | | NUMBER OF CASES | | | | | | | | | |
| | | ALL CAUSES | DISEASE | INJURY | GOLDS, INFLUENZA, ETC. | PNEUMONIA (INCLUDING ATYPICAL) | DIARRHEA AND DYSENTERY | VENEREAL (EXCLUDING EPTS**) | MEASLES | MUMPS | SCARLET FEVER | M'COCCIG MENINGITIS | RHEUMATIC FEVER | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | ALL CAUSES | DISEASE | INJURY | |
| (Cont'd) FOURTH SERVICE COMMAND | | | | | | | | | | | | | | | | | | | |
| Jackson, Ft., S. E. (RH) | 35472 | 566 | 523 | 43 | 91 | | 7? | 47 | | | | | | | | | | | 24 |
| Keesler Fld., Miss. (RH) | 25939 | 343 | 311 | 32 | 92 | 18 | 6? | 12 | | 1 | 3 | | | 7 | | | | | 13 |
| MacDill Fld., Fla. | 10402 | 360 | 350 | 10? | 45 | | | 90 | | | | | 1 | | 1 | | | | |
| Mackall, Cp., N. C. | 15472 | 568 | 474 | 94 | 101 | 3? | | 50 | | 3 | | | | 1 | | | | | |
| Maxwell Fld., Ala. (RH) | 9999 | 333 | 297 | 36 | 5? | 21? | 5? | 31 | | | | | 1 | 4 | | 1 | | 1 | 14 |
| McClellan, Ft., Ala. (RH) | 31611 | 426 | 347 | 79 | 71 | 54 | 8? | 39 | | 5 | | | | 27 | | | | | 24 |
| McPherson, Ft., Ga. | 6004 | 1889 | 1828 | 61 | 191 | 35? | | 147 | | | | | | 1 | | | | | 16 |
| Miami Beach, Fla. AAF Redist. Sta. | 7441 | 1372 | 1343 | 35? | 56 | | | 98 | | | | | | | | | | | |
| Miami Beach, Fla. AG & SF Redist. Sta. | 7801 | 453 | 420 | 33? | 20? | | | 13? | | | | | | | | | | | |
| Miss. Ord. Plant, Miss. | 5368 | 717 | 669 | 48? | 87 | | | 19? | | | | | | | | | | | 9 |
| Oglethorpe, Ft., Ga. | 5955 | 733 | 707 | 26? | 122 | 44? | | 26? | | | | | | | | | | | 10 |
| Orlando, AAFTC, Fla. (RH) | 10975 | 436 | 370 | 66 | 76 | 5? | 14? | 14? | | | | | | 1 | | 1 | | 1 | 17 |
| Robins Fld., Ga. (RH) | 5569 | 430 | 402 | 28? | 84 | 19? | 19? | 65 | | | | | | 2 | | | | | 15 |
| Rucker, Cp., Ala. | 7049 | 509 | 472 | 37? | 74 | | 7? | 66 | | 1 | | | | | 2 | 1 | | 1 | 27 |
| Shelby, Cp., Miss. (RH) | 35075 | 680 | 603 | 77 | 67 | 10 | 30 | 37 | 2 | | 1 | 1 | | 5 | 1 | | | | 26 |
| Sibert, Cp., Ala. | 6566 | 412 | 341 | 71 | 79 | | 8? | 32? | | | | | | | | | | | |
| Stewart, Cp., Ga. (RH) | 9058 | 321 | 304 | 17? | 86 | 6? | | 29? | | | | | | 1 | | | | | 17 |
| Tyndall Fld., Fla. | 11497 | 281 | 240 | 41 | 68 | | 9? | 18? | | 1 | | | | | | | | | 3 |
| Van Dorn, Cp., Miss. | 8760 | 458 | 428 | 30? | 18? | 24? | 18? | 71 | | | | | | | | | | | 12 |
| Wheeler, Cp., Ga. | 21768 | 645 | 526 | 119 | 143 | 36 | | 10? | 1 | | | | | 14 | | 1 | 1 | | 16 |
| TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS | 185595 | 435 | 386 | 49 | 83 | 3 | 13 | 46 | | 4 | | 2 | | 4 | 3 | 9 | 4 | 5 | 716 |

FORM 36-396 REVISED 1 DECEMBER 1944 *DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
**SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 51
WEEK ENDING 22 December 194 4

| SERVICE COMMAND AND STATION | MEAN STRENGTH** | ADMISSIONS | | | | | | | | | | | | | | | NUMBER OF DEATHS | | | NUMBER OF DISPOSITIONS BY CDD |
|---|--------------------|----------------------------------|---------|--------|---------------------------------------|--------------------------------------|------------------------------|---------------------------------|---------|-----------------|------------------|------------------------|--------------------|-----------------------|-------------------------|----|------------------------|---------|--------|-------------------------------------|
| | | ANNUAL RATE PER 1000 STRENGTH | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | | NUMBER OF CASES | | | | | | | ALL CAUSES | DISEASE | INJURY | |
| | | ALL CAUSES | DISEASE | INJURY | GOLDS, INFLUENZA, ETC. | PNEUMONIA (INCLUDING ATYPICAL) | DIARRHEA AND DYSENTERY | VENEREAL (EXCLUDING EPS*) | MEASLES | MUMPS | SCARLET FEVER | M'COCCIG MENINGITIS | RHEUMATIC FEVER | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | | | | | |
| FIFTH SERVICE COMMAND | 133098 | 515 | 465 | 50 | 131 | 7 | 6 | 52 | 2 | 3 | 2 | | 3 | 7 | 6 | 11 | 3 | 7 | 426 | |
| Atterbury, Cp., Ind. | 10556 | 852 | 803 | 49 | 49 | | 5? | 44 | | | | | | | | | | | | |
| Campbell, Cp., Ky. | 13038 | 487 | 395 | 92 | 52 | | 8? | 48 | | | | | | | | 3 | | 3 | 19 | |
| Knox, Ft., Ky. (RH) | 36388 | 446 | 399 | 47 | 200 | 17 | 7? | 54 | 2 | 2 | | | 2 | 2 | 2 | 3 | 1 | 2 | 24 | |
| Wright Fld., Ohio # | 13345 | 526 | 479 | 47 | 148 | | | 35 | | 1 | | | | | | | | | | |
| TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS | 59771 | 503 | 459 | 44 | 117 | 6 | 6 | 57 | | | 2 | | 1 | 5 | 4 | 5 | 2 | 2 | 383 | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| SIXTH SERVICE COMMAND | 105142 | 548 | 512 | 36 | 150 | 14 | 5 | 34 | | 1 | 6 | 1 | 1 | 19 | 2 | 7 | 2 | 5 | 198 | |
| Chanute Fld., Ill. (RH) | 12175 | 346 | 316 | 30 | 111 | 13? | | 17? | | | 1 | | | 3 | 1 | | | | 1 | |
| Ellis, Cp., Ill. | 11999 | 386 | 351 | 35 | 48 | 4? | | 56 | | | | | | | | | | | 8 | |
| George Fld., Ill. | 5114 | 265 | 224 | 41? | 31? | 10? | | 31? | | 1 | | | | 1 | | 3 | | 3 | | |
| Scott Fld., Ill. (RH) | 13517 | 470 | 439 | 31 | 150 | 23 | 15? | 23 | | | 1 | | | 6 | 1 | | | | 2 | |
| Sheridan, Ft., Ill. | 5101 | 2163 | 2143 | 20? | 31? | | | 71 | | | | | | | | 2 | 2 | | 9 | |
| Truax Fld., Wis. (RH) | 17336 | 672 | 642 | 30 | 417 | 24 | | 15? | | | 3 | 1 | 1 | 3 | | 1 | | 1 | 11 | |
| TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS | 39900 | 460 | 417 | 43 | 108 | 12 | 9 | 39 | | | 1 | | | 6 | | 1 | | 1 | 167 | |

FORM SG-396 REVISED 1 DECEMBER 1944 *DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

**SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 51
WEEK ENDING 22 December 194 4

| SERVICE COMMAND AND STATION | MEAN STRENGTH** | ADMISSIONS | | | | | | | | | | | | | | NUMBER OF DEATHS | | | NUMBER OF DISPOSITIONS BY CDD |
|---|--------------------|----------------------------------|---------|--------|---------------------------------------|--------------------------------------|------------------------------|-----------------------------------|---------|-----------------|------------------|------------------------|--------------------|-----------------------|-------------------------|------------------------|---------|--------|-------------------------------------|
| | | ANNUAL RATE PER 1000 STRENGTH | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | | NUMBER OF CASES | | | | | | | | | |
| | | ALL CAUSES | DISEASE | INJURY | COLDS, INFLUENZA, ETC. | PNEUMONIA (INCLUDING ATYPICAL) | DIARRHEA AND DYSENTERY | VENEREAL (EXCLUDING EPSIS*) | MEASLES | MUMPS | SCARLET FEVER | M'COCCIG MENINGITIS | RHEUMATIC FEVER | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | ALL CAUSES | DISEASE | INJURY | |
| SEVENTH SERVICE COMMAND | 290511 | 542 | 499 | 43 | 100 | 6 | 8 | 36 | | 13 | 5 | | 11 | 16 | 1 | 16 | 3 | 12 | 591 |
| Buckley Fld., Colo. (RH) # | 6122 | 1912 | 1844 | 68 | 153 | 8? | | 51 | | | | | | 1 | | | | | 14 |
| Casper, AAF, Wyo. | 5045 | 310 | 289 | 21? | 103 | | | 21? | | | | | | | | | | | |
| Crowder, Sp., Mo. (RH) | 27207 | 520 | 484 | 36 | 117 | 15 | 8? | 27 | | | | | 4 | | | | | | 56 |
| Des Moines, Ft., Iowa | 5154 | 1231 | 1160 | 71 | 121 | 10? | | 61 | | | | | | 1 | | | | | 5 |
| Fairmont, AAF, Nebr. | 5248 | 258 | 238 | 20? | 40? | | | 10? | | | | | | | | | | | 2 |
| F.E. Warren, Ft., Wyo. (RH) | 12990 | 612 | 568 | 44 | 48 | 12? | | 32 | | 6 | 1 | | | | | | | | 41 |
| Grand Island, AAF, Nebr. | 5842 | 374 | 365 | 9? | 18? | | | 18? | | | | | | | | | | | |
| Great Bend, AAF, Kans. | 5298 | 324 | 275 | 49? | 79 | | | 20? | | | | | | | | | | | |
| Harvard, AAF, Nebr. | 5014 | 414 | 373 | 41? | 83 | 10? | | 10? | | | | | 2 | 1 | | | | | |
| Jefferson Bks., Mo. | 5515 | 396 | 387 | 9? | 47? | | | 85 | | | | | | | | | | | |
| Leavenworth, Ft., Kans. | 6486 | 609 | 569 | 40? | 48 | 8? | | 32? | | | | | | 1 | 1 | | | | 1 |
| Leonard Wood, Ft., Mo. (RH) | 13778 | 706 | 649 | 57 | 76 | 4? | | 91 | | | | | | 1 | | | | | 42 |
| Lincoln, AAF, Nebr. (RH) | 15292 | 398 | 381 | 17? | 133 | 7? | 7? | 54 | | 2 | 1 | | 4 | | | | | | 2 |
| Lowry Fld., Colo. | 16995 | 368 | 334 | 34 | 43 | | 15? | 46 | | | 1 | | | | | 1 | 1 | | 6 |
| McCook, AAF, Nebr. | 5428 | 249 | 230 | 19? | 38? | 10? | | 19? | | | | | | 1 | | | | | 5 |
| Pratt, AAF, Kans. | 5340 | 438 | 409 | 29? | 107 | 10? | 10? | 39? | | | | | | | | | | | |
| Riley, Ft., Kans. (RH) | 19430 | 739 | 685 | 54 | 107 | 3? | | 29 | | 1 | | | | 1 | | | | | 15 |
| Sioux Falls, AAF, S. Dak. (RH) | 11233 | 454 | 426 | 28 | 111 | 32 | 23? | 37 | | | | | | 4 | | | | | 1 |
| Smoky Hill, AAF, Kans. (RH) | 6898 | 430 | 377 | 53 | 75 | | 151 | 15? | | 1 | | | | | | | | | 9 |
| Snelling, Ft., Minn. | 5750 | 516 | 480 | 36? | 127 | 9? | | 27? | | | | | | 1 | | | | | 4 |
| TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS | 100446 | 512 | 458 | 54 | 122 | 3? | 5 | 33 | | 3 | 2 | | 1 | 4 | | 15 | 2 | 12 | 388 |

FORM 56-396 REVISED 1 DECEMBER 1944 *DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

**SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 51
WEEK ENDING 22 December 1944

| SERVICE COMMAND AND STATION | MEAN STRENGTH** | ADMISSIONS | | | | | | | | | | | | | | NUMBER OF DEATHS | | | NUMBER OF DISPOSITIONS BY CDD | |
|-----------------------------------|--------------------|----------------------------------|---------|--------|---------------------------------------|--------------------------------------|------------------------------|-----------------------------------|---------|-----------------|------------------|------------------------|--------------------|-----------------------|-------------------------|------------------------|------------|---------|-------------------------------------|--------|
| | | ANNUAL RATE PER 1000 STRENGTH | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | | NUMBER OF CASES | | | | | | | ALL CAUSES | DISEASE | | INJURY |
| | | ALL CAUSES | DISEASE | INJURY | COLDS, INFLUENZA, ETC. | PNEUMONIA (INCLUDING ATYPICAL) | DIARRHEA AND DYSENTERY | VENEREAL (EXCLUDING EPTS**) | MEASLES | MUMPS | SCARLET FEVER | M'COCCIG MENINGITIS | RHEUMATIC FEVER | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | | | | | |
| EIGHTH SERVICE COMMAND | 792616 | 491 | 436 | 55 | 110 | 14 | 9 | 36 | 4 | 29 | 10 | 7 | 12 | 153 | 24 | 36 | 8 | 28 | 917 | |
| Alamogordo, AAB, N. Mex. | 6164 | 236 | 228 | 8? | 84 | 8? | 8? | 8? | | | | | 2 | 1 | | | | | 2 | |
| Amarillo, AAF, Tex. (RH) | 13766 | 631 | 563 | 68 | 102 | 11? | | 30 | | | | | 1 | 3 | | 1 | | 1 | 6 | |
| Ardmore, AAF, Okla. | 5022 | 456 | 425 | 31? | 135 | 10? | | 52? | | | | | | 1 | | | | | | |
| Barkeley, Cp., Tex. (RH) | 17953 | 516 | 481 | 35 | 87 | 3? | 14? | 17 | | | | | | | | 1 | | 1 | 29 | |
| Barksdale Fld., La. (RH) | 9740 | 449 | 390 | 59 | 101 | | | 59 | 1 | | | | 1 | | | | | | 5 | |
| Bliss, Ft., Tex. | 16308 | 581 | 568 | 13? | 134 | | | 19 | | | | | | | | | | | | |
| Bowie, Cp., Tex. # | 27701 | 396 | 329 | 66 | 68 | 9? | 4? | 30 | | 2 | 4 | | | | 3 | | | | 16 | |
| Chaffee, Cp., Ark. | 21230 | 456 | 419 | 37 | 98 | 17 | | 59 | | 1 | | 1 | | 5 | | | | | 20 | |
| Claiborne, Cp., La. | 24609 | 416 | 372 | 44 | 38 | | | 66 | | 1 | | | | | | | | | 59 | |
| Clovis, AAF, N. Mex. | 6003 | 381 | 338 | 43? | 78 | | 17? | 26? | | 1 | | | | | | | | | 1 | |
| Ellington Fld., Tex. | 6002 | 451 | 425 | 26? | 156 | | | 52 | | 1 | | | | | | | | | | |
| Fannin, Cp., Tex. | 19092 | 784 | 679 | 106 | 204 | 44 | | 27 | | 1 | | | 1 | 13 | | 10 | | 10 | 20 | |
| Fort Worth, AAF, Tex. | 6187 | 521 | 395 | 126 | 76 | 8? | | 67 | | | | | | | | 8 | | 8 | | |
| Gruber, Cp., Okla. | 27255 | 347 | 326 | 21 | 48 | 4? | 6? | 34 | | 1 | | | | 1 | 1 | | | | 15 | |
| Harlingen, AAF, Tex. | 10662 | 464 | 405 | 59 | 94 | 15? | 98 | 29 | | | | | | 3 | 1 | | | | | |
| Hondo, AAF, Tex. | 6490 | 232 | 216 | 16? | 8? | 8? | | 8? | | | | | | 1 | | | | | | |
| Hood, Cp., Tex. | 53454 | 393 | 316 | 77 | 90 | 37 | 4? | 30 | | | 1 | | | 27 | 4 | | | | 13 | |
| Howze, Cp., Tex. | 27537 | 483 | 449 | 34 | 185 | 32 | 8? | 4? | | | | 2 | | 14 | | | | | | |
| Jos. T. Robinson, Cp., Ark. (RH) | 35156 | 966 | 828 | 133 | 445 | 50 | 10 | 22 | | 1 | 1 | 2 | | 28 | | | | | 76 | |
| Kelly Fld., Tex. | 8125 | 410 | 397 | 13? | 45 | 19? | 19? | 58 | | | | | | 3 | | | | | 3 | |

FORM SG-396 REVISED 1 DECEMBER 1944 *DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

**SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 51
WEEK ENDING 22 December 1944

| SERVICE COMMAND AND STATION | MEAN STRENGTH** | ADMISSIONS | | | | | | | | | | | | | | NUMBER OF DEATHS | | | NUMBER OF DISPOSITIONS BY CDD |
|---|--------------------|----------------------------------|---------|--------|---------------------------------------|--------------------------------------|------------------------------|----------------------------------|---------|-----------------|------------------|------------------------|--------------------|-----------------------|-------------------------|------------------------|---------|--------|-------------------------------------|
| | | ANNUAL RATE PER 1000 STRENGTH | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | | NUMBER OF CASES | | | | | | | | | |
| | | ALL CAUSES | DISEASE | INJURY | COLDS, INFLUENZA, ETC. | PNEUMONIA (INCLUDING ATYPICAL) | DIARRHEA AND DYSENTERY | VENEREAL (EXCLUDING EPTS*) | MEASLES | MUMPS | SCARLET FEVER | M'COCCIC MENINGITIS | RHEUMATIC FEVER | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | ALL CAUSES | DISEASE | INJURY | |
| (Cont'd) EIGHTH SERVICE COMMAND | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Laredo, AAF, Tex. | 11046 | 287 | 282 | 5? | 71 | 11? | | | | | | | | 2 | 1 | | | | |
| Livingston, Cp., La. | 16045 | 710 | 619 | 91 | 159 | 13? | 3? | 71 | | | | | | | 1 | | | | 11 |
| Maxey, Cp., Tex. (RH) | 23672 | 982 | 934 | 48 | 105 | 15 | 4? | 35 | 1 | 1 | | | 3 | 2 | | 1 | | 1 | 9 |
| Midland, AAF, Tex. | 5050 | 381 | 330 | 51? | 41? | 10? | | 31? | | | | | | 1 | | | | | |
| New Orleans, PoE, La. | 21612 | 589 | 563 | 26 | 94 | 7? | 5? | 115 | 1 | 16 | | | | 3 | 1 | | | | 6 |
| Polk, Cp., La. (RH) | 18070 | 386 | 360 | 26 | 37 | 6? | | 61 | | | | | | 2 | | | | | 18 |
| Pyote, AAF, Tex. (RH) | 6129 | 322 | 280 | 42? | 68 | 8? | 17? | 25? | | | | | | | | | | | 4 |
| Randolph Fld., Tex. | 6111 | 426 | 383 | 43? | 119 | | 9? | 34? | | | | | | | | | | | 1 |
| Roswell, AAF, N. Mex. | 6548 | 262 | 238 | 24? | 32? | 8? | | 24? | | | | | | 1 | 1 | | | | 1 |
| San Houston, Ft., Tex. | 10590 | 830 | 776 | 54 | 39 | | | 39 | | | | | | | | | | | |
| San Antonio, Tex. (RH) Avn. Cdt. Ctr. | 10475 | 437 | 397 | 40 | 84 | 15? | 15? | 35 | | | | | | 3 | | | | | 16 |
| San Marcos, AAF, Tex. | 6234 | 242 | 225 | 17? | 75 | | 25? | | | | | | | | | | | | |
| Selman Fld., La. | 7185 | 224 | 188 | 36? | 101 | 7? | | 14? | | | | | | 1 | | | | | |
| Sheppard Fld., Tex. (RH) | 17421 | 317 | 281 | 36 | 63 | 15? | 3? | 21 | | | 1 | | 1 | 3 | 1 | | | | 4 |
| Sill, Ft., Okla. | 27259 | 488 | 427 | 61 | 101 | 15 | | 32 | | | | | | 7 | | | | | 6 |
| Swift, Cp., Tex. (RH) | 26194 | 304 | 260 | 44 | 56 | 4? | | 52 | | | | | | 1 | | | | | 32 |
| Wolters, Cp., Tex. | 19649 | 529 | 397 | 132 | 236 | 48 | 11? | 8? | | | 2 | 1 | | 16 | 2 | | | | 5 |
| | | | | | | | | | | | | | | | | | | | |
| TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS | 204870 | 454 | 401 | 53 | 92 | 5 | 16 | 36 | 1 | 3 | 1 | 1 | 3 | 11 | 8 | 15 | 8 | 7 | 539 |
| | | | | | | | | | | | | | | | | | | | |

FORM SG-396 REVISED 1 DECEMBER 1944 * DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

**SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 51
WEEK ENDING 22 December 194 4

| SERVICE COMMAND AND STATION | MEAN STRENGTH** | ADMISSIONS | | | | | | | | | | | | | | NUMBER OF DEATHS | | | NUMBER OF DISPOSITIONS BY CDD |
|-----------------------------------|--------------------|----------------------------------|---------|--------|---------------------------------------|--------------------------------------|------------------------------|----------------------------------|---------|-----------------|------------------|------------------------|--------------------|-----------------------|-------------------------|------------------------|---------|--------|-------------------------------------|
| | | ANNUAL RATE PER 1000 STRENGTH | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | | NUMBER OF CASES | | | | | | ALL CAUSES | DISEASE | INJURY | |
| | | ALL CAUSES | DISEASE | INJURY | COLDS, INFLUENZA, ETC. | PNEUMONIA (INCLUDING ATYPICAL) | DIARRHEA AND DYSENTERY | VENEREAL (EXCLUDING EPS**) | MEASLES | MUMPS | SCARLET FEVER | M'COCCIG MENINGITIS | RHEUMATIC FEVER | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | | | | |
| NINTH SERVICE COMMAND | 527776 | 529 | 476 | 53 | 107 | 10 | 5 | 32 | 6 | 31 | 17 | 6 | 16 | 70 | 2 | 22 | 8 | 14 | 554 |
| | | | | | | | | | | | | | | | | | | | |
| Beale, Cp., Calif. | 13577 | 1073 | 981 | 92 | 180 | 11? | 19? | 119 | | | 1 | | | 1 | | | | | 16 |
| Cooke, Cp., Calif. # | 17982 | 353 | 278 | 75 | 46 | 14? | | 9? | | | | | | 4 | | | | | 4 |
| Fresno, ASCTC, Calif. | 5247 | 664 | 575 | 89 | 50? | | 10? | 10? | | | | | 1 | | | | | | 6 |
| Geiger Fld., Wash. | 6395 | 661 | 561 | 90 | 285 | | 9? | 41? | | 1 | | | | | | | | | |
| Haan, Cp., Calif. # (RH) | 7517 | 471 | 464 | 7? | 55 | 28? | 7? | 21? | | | | | | 2 | | | | | 19 |
| Hamilton Fld., Calif. (RH) # | 9602 | 450 | 412 | 38 | 43 | 11? | | 43 | | 1 | 2 | | | 1 | 1 | | | | 1 |
| Huachuca, Ft., Ariz. # | 5430 | 633 | 623 | 10? | 38? | | | 48? | | | | | | | | | | | 3 |
| Kearns, AAFORD, Utah (RH) | 6494 | 561 | 505 | 56 | 256 | | 24? | 32? | | | | | 1 | | | | | | 21 |
| Kingman, AAF, Ariz. | 10121 | 237 | 216 | 21? | 103 | 5? | 5? | 10? | | | 1 | | | | | | | | |
| Las Vegas, AAF, Nev. | 10665 | 307 | 283 | 24? | 78 | 10? | | 10? | | | 4 | | | 1 | | | | | |
| Lawton, Ft., Wash. # | 10094 | 587 | 556 | 31 | 268 | | | 57 | | | | | | | | | | | |
| Lewis, Ft., Wash. | 55618 | 398 | 375 | 23 | 150 | 1? | | 29 | 1 | 11 | 1 | | 1 | 1 | | | | | |
| Los Angeles, PoE, Calif. # | 10560 | 650 | 586 | 64 | 172 | 5? | 5? | 118 | | 1 | | | | | | | | | 3 |
| March Fld., Calif. | 6089 | 436 | 385 | 51 | 34? | | 17? | 34? | | | | | | | | | | | 11 |
| Mt. Home, AAF, Idaho | 5091 | 409 | 378 | 31? | 112 | | | 10? | | | | | 1 | | | | | | 1 |
| Muroc, AAF, Calif. # | 5951 | 559 | 428 | 131 | 79 | 9? | 9? | 17? | | | | | 1 | | | 1 | | 1 | 1 |
| Ord, Ft., Calif. (RH) | 24470 | 648 | 482 | 166 | 106 | 19 | 9? | 21 | 1 | | 2 | | | 8 | | 2 | | 2 | 33 |
| Pinedale, Cp. Calif. # | 5333 | 537 | 498 | 39? | 39? | | | 39? | 1 | | | | | | | | | | |
| Roberts, Cp., Calif. | 25893 | 613 | 546 | 72 | 269 | 20 | 18 | 8? | | 3 | 3 | | 2 | 10 | | | | | 49 |
| San Luis Obispo, Cp., Calif. | 16183 | 254 | 209 | 45 | 32 | 3? | | 6? | | | | | | | | | | | 1 |

FORM SG-396 REVISED 1 DECEMBER 1944 * DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

**SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

FORM 96-396 REVISED 1 DECEMBER 1944 *DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
**SEE NATURE OF THE DATA, PAGE 2.

| SERVICE COMMAND AND STATION | MEAN STRENGTH** | ADMISSIONS | | | | | | | | | | | | | NUMBER OF DEATHS | | | NUMBER OF DISPOSITIONS BY CODE |
|---|--------------------|----------------------------------|---------|--------|---------------------------------------|--|------------------------------|-------------------------------------|---------|-----------------|------------------|---|-----------------------|-------------------------|------------------------|---------|--------|--------------------------------------|
| | | ANNUAL RATE PER 1000 STRENGTH | | | ANNUAL CASE RATE PER 1000 STRENGTH | | | | | NUMBER OF CASES | | | | | ALL CAUSES | DISEASE | INJURY | |
| | | ALL CAUSES | DISEASE | INJURY | COLDS, INFLUENZA, ETC. | PNEUMONIA AND BRONCHITIS (ATYPICAL) | DIARRHEA AND DYSENTERY | VENEREAL (EXCLUDING SYPHILIS) | MEASLES | MUMPS | SCARLET FEVER | TUBERCULOSIS AND OTHER RESPIRATORY | ATYPICAL PNEUMONIA | INFECTIOUS HEPATITIS | | | | |
| 100th SERVICE HOSPITAL (Cont'd) | | | | | | | | | | | | | | | | | | |
| Santa Ana, AAB, Calif. (RH) # | 10610 | 988 | 101 | 87 | 68 | 82 | 181 | 28 | 1 | | | 0 | 11 | | | | | 13 |
| San Antonio, AAB, Calif. | 9711 | 802 | 771 | 20 | 91 | 162 | | 70 | | 1 | 0 | | | | | | | |
| San Antonio, AAB, Calif. # | 6110 | 604 | 494 | 110 | 131 | 177 | 151 | 87 | | | | | 1 | | | | | |
| San Antonio, AAB, Calif. | 7505 | 507 | 178 | 781 | 41 | 847 | | 131 | | 1 | | | 11 | | 7 | | 2 | |
| San Antonio, AAB, Calif. | 8400 | 614 | 168 | 40 | 87 | 178 | 107 | 187 | | 1 | | | 7 | | | | | 2 |
| TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS | 22851 | 587 | 507 | 18 | 68 | 2 | 1 | 81 | 7 | 17 | 7 | 0 | 14 | 1 | 17 | 0 | 9 | 270 |

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME IV REPORT NO. 51

WEEK ENDING 22 December 1944

STATIONS WITH STRENGTH OF 5000 OR OVER

| STATION | CURRENT WEEK | PREVIOUS WEEK | STATION | CURRENT WEEK | PREVIOUS WEEK | STATION | CURRENT WEEK | PREVIOUS WEEK |
|---|--------------|---------------|---|--------------|---------------|--|--------------|---------------|
| ALL CAUSES ANNUAL ADMISSION RATE PER 1000 | | | DISEASE ANNUAL ADMISSION RATE PER 1000 | | | INJURY ANNUAL ADMISSION RATE PER 1000 | | |
| Sheridan, Ft., Ill. | 2163 | 1914 | Sheridan, Ft., Ill. | 2143 | 1862 | Chatham Fld., Ga. | 178 | 20? |
| McPherson, Ft., Ga. | 1889 | 1590 | McPherson, Ft., Ga. | 1828 | 1514 | Ord, Ft., Calif. | 166 | 59 |
| Miami Beach, Fla. AAF Redist Sta. | 1378 | 1100 | Miami Beach, Fla. AAF Redist Sta. | 1343 | 1040 | Jos. T. Robinson, Cp., Ark. | 138 | 124 |
| Des Moines, Ft., Iowa | 1231 | 871 | Des Moines, Ft., Iowa | 1160 | 833 | Benning, Ft., Ga. | 134 | 166 |
| Beale, Cp., Calif. | 1073 | 638 | Kilmer, Cp., N. J. | 998 | 754 | Walters, Cp., Tex. | 132 | 93 |
| Kilmer, Cp., N. J. | 1033 | 789 | Beale, Cp., Calif. | 981 | 567 | Muroc, AAF, Calif. | 131 | 61 |
| Maxey, Cp., Tex. | 982 | 993 | Atlantic City, N. J. AAF Redist. Sta. | 949 | 1692 | Fort Worth, AAF, Tex. | 126 | 45? |
| COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000 | | | PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000 | | | DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000 | | |
| Jos. T. Robinson, Cp., Ark. | 445 | 447 | McClellan, Ft., Ala. | 54 | 51 | Smoky Hill, AAF, Kans. | 151 | 8? |
| Trux Fld., Wis. | 417 | 320 | Greensboro, AAFORD, N. C. | 53 | 8? | Harlingen, AAF, Tex. | 98 | 39 |
| Wash. Gen. Disp. D. C. | 296 | 272 | Jos. T. Robinson, Cp., Ark. | 50 | 28 | Shelby, Cp., Miss. | 30 | 14 |
| Geiger Fld., Wash. | 285 | 660 | Walters, Cp., Tex. | 48 | 49 | Boca Raton Fld., Fla. | 23 | 26 |
| Roberts, Cp., Calif. | 269 | 311 | Fannin, Cp., Tex. | 44 | 35 | Roberts, Cp., Calif. | 13 | 10? |
| Lawton, Ft., Wash. # | 268 | 23? | Belvoir, Ft., Va. | 40 | 20 | Jos. T. Robinson, Cp., Ark. | 10 | 9 |
| Kearns, AAFORD, Utah | 256 | 147 | Hood, Cp., Tex. | 37 | 18 | Blanding, Cp., Fla. | 9 | 13 |
| VENEREAL (EXCLUDING EPTS) ANNUAL ADMISSION RATE PER 1000 | | | DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000 | | | | | |
| Shanks, Cp., N. Y. | 186 | 127 | Sheridan, Ft., Ill. | 1918 | 1517 | | | |
| Kilmer, Cp., N. J. | 155 | 95 | Miami Beach, Fla. AAF Redist. Sta. | 1343 | 1040 | | | |
| Boston, PoE, Mass. | 150 | 109 | Des Moines, Ft., Iowa | 1160 | 933 | | | |
| McPherson, Ft., Ga. | 147 | 199 | Kilmer, Cp., N. J. | 998 | 754 | | | |
| Hampton Roads, PoE, Va. | 132 | 151 | Atlantic City, N. J. AAF Redist. Sta. | 949 | 1892 | | | |
| Beale, Cp., Calif. | 119 | 53 | Maxey, Cp., Tex. | 934 | 913 | | | |
| Los Angeles, PoE, Calif. # | 118 | 50? | McPherson, Ft., Ga. | 919 | 1457 | | | |

FORM 56-396E, 12 NOVEMBER 1943

RESTRICTED

*Includes: Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Pleurisy.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME IV REPORT NO. 51

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

WEEK ENDING 22 December 1944

| | | | | | |
|--|---|--|--|---|--|
| <p><u>MENINGITIS (OTHER FORMS) (2)</u></p> <p>1-Rosecrans Fld., Mo. 1-Las Vegas AAF, Nev.</p> | <p><u>DIPHTHERIA (9)</u></p> <p>1-Tilton G.H., N.J. 1-Baltimore Cargo PoE, Md. 1-Holabird Sig. Depot, Md. 1-Hondo AAF, Tex. 1-Hood, Cp., Tex. 1-John T. Knight, Cp., Calif. 1-Oakland Mun. Airport, Calif. 1-Stoneman, Cp., Calif. Delayed Report Week ending 15/12 1-Geo. G. Meade, Ft., Md.</p> | <p><u>POLIOMYELITIS (1)</u></p> <p> Delayed Report Week ending 15/12 1-Percy Jones G.H., Mich.</p> | <p><u>FILARIASIS (7)</u></p> <p>2-Atterbury, Cp., Ind. 1-Harmon G.H., Tex. 2- Hood, Cp., Tex. 1-Lemoore AAF, Calif. Delayed Report Week ending 15/12 1-Geo. G. Meade, Ft., Md.</p> | <p><u>AMEBIC DYSENTERY (8)</u></p> <p>2-Mason G.H., N.Y. 1-Walter Reed, G.H., D.C. 2-McClellan, Ft., Ala. 1-Blythville AAF, Tex. 1-Swift, Cp., Tex. Delayed Report Week ending 15/12 1-Lawton, Ft., Wash.</p> | <p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <p><u>STREPTOCOCCAL SORE THROAT</u></p> <p>10-Chanute Fld., Ill. 10-Lincoln AAF, Nebr.</p> |
| <p><u>MENINGO-ENCEPHALITIS (1)</u></p> <p>1-Wheeler, Cp., Ga.</p> | <p><u>PARATYPHOID FEVER (1)</u></p> <p>1-Brooke G.H., Tex.</p> | <p><u>TYPHUS FEVER (3)</u></p> <p>1-Rucker, Cp., Ala. 1-Wheeler, Cp., Ga. 1-Foster Fld., Tex.</p> | <p><u>ANKYLOSTOMIASIS (2)</u></p> <p>1-Brooke G.H., Tex. 1-Wolters, Cp., Tex.</p> | <p><u>KERATOCONJUNCTIVITIS (2)</u></p> <p>2-Wolters, Cp., Tex.</p> | <p><u>BACTERIAL FOOD POISONING</u></p> <p>17-Des Moines, Ft., Iowa 11-Leavenworth, Ft., Kans. USDB</p> |
| <p><u>COCCIDIOIDOMYCOSIS (9)</u></p> <p>1-Davis-Monahan Fld., Ariz. 1-Minter Fld., Calif. 3-Ord. Ft., Calif. 3-Roberts, Cp., Calif. Delayed Report Week ending 15/12 1-Haan, Cp., Calif.</p> | <p><u>TYPHOID FEVER (1)</u></p> <p> Delayed Report Week ending 15/12 1-Valley Forge G.H., Pa.</p> | <p><u>UNDULANT FEVER (5)</u></p> <p>1-Reynolds, Cp., Pa. 1-Greensboro AAFORD, N.C. 1-Lowry Fld., Colo. 1-Beale, Cp., Calif. 1-Wendover Fld., Wash.</p> | | | <p><u>M'COCCIG MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u></p> <p>1-Columbia AAB, S.C. 1-Tuskegee AAF, Ala. 1-Sumner, Ft., N. Mex. 1-Letterman G.H., Calif.</p> |

ANALYSIS OF VENEREAL DISEASE DATA

This report presents an analysis of venereal disease admission rates by color for all the stations in the continental United States which submit Statistical Health Reports (WD MD Form 86ab). The data cover the four week period ending 24 November 1944 and are shown for individual stations only where the colored male strength was 1000 or more, the data for all other units in each Service Command being shown combined.

In considering morbidity from venereal diseases during November, reference should be had to the Supplementary Health Report contained in the Weekly Health Report for the week ending 15 December 1944, in which the November venereal disease admission rates for all Army personnel combined are shown for individual stations. On page 26 of that report there are set forth the numbers of cases remaining under treatment on 24 November 1944 in each Service Command.

The venereal cases remaining under treatment at the end of November accounted for 1.53 percent of all types of cases under treatment. The days lost due to venereal diseases during the four week period ending 24 November 1944 totaled more than 76,000 or an average of over 19,000 per week, representing a non-effective rate of .81 per thousand. Of the 76,000 days lost due to venereal diseases, 32,000 days were attributable to colored males. The resulting non-effective rate from venereal diseases for colored males was 4.5 per thousand, while for all other personnel it was only .50 per thousand.

The non-effective rate from venereal diseases declined in November by about 4 percent. For colored male personnel the non-effective rate increased 7 percent, while for all other Army personnel it was about 10 per cent lower. This decline in the non-effective rate for other Army personnel interrupted the slight

upward trend in non-effectiveness from venereal disease which manifested itself in August. The November non-effective rate for other Army personnel was close to the record low levels reported in July.

In considering the variations in venereal non-effective rates by Service Command, it should be kept in mind that such variations reflect not only differences in the extent of the General Hospital facilities in each Service Command. This is especially true of the Military District of Washington, which has an unusually low venereal admission rate, but because of the location of Walter Reed G.H. in this Command, reports a relatively high venereal non-effective rate.

For all Army personnel combined morbidity from venereal disease (excluding cases contracted prior to entry on active service which are designated hereafter as EPTS) was at a rate of 39 per thousand in November or slightly higher than in October. For colored males the November rate was 195 per thousand or about 8 percent higher than in October. For all other Army personnel the November rate was only 26 per thousand or about 5 percent higher than in October. Morbidity of colored male personnel from venereal diseases has continued about 7 times as high as for all other Army personnel.

The November admission rate for syphilis excluding EPTS cases, was about 15 times higher for colored males than for other Army personnel, whereas for gonorrhea excluding EPTS cases the rate for colored males was only about 6 times as high. Venereal diseases other than gonorrhea and syphilis excluding EPTS cases were practically all reported among colored males who accounted for about 80 percent of such cases although representing less than 10 percent of the total strength of the Army. The admission rate from such venereal

ANALYSIS OF VENEREAL DISEASE DATA (CONT'D)

diseases was 12 per thousand for colored males (which is the same as in the previous two months) as contrasted with only .2 per thousand for the remainder of the Army.

For all Army personnel combined morbidity due to venereal EPTS cases, which were predominantly syphilis, was at a rate of 7 per thousand in November, with corresponding figures of 53 and 3 per thousand for colored males and the remainder of the Army, respectively. Variations in the admission rate for venereal EPTS cases reflect entirely the experience among current inductees, so that differences in the incidence of such cases by Service Command or by individual station have little significance. Quite naturally, reception centers report very high rates of admission from venereal EPTS cases, whereas other stations usually show few cases or none at all.

As in previous months (with the exception of September) the Second Service Command again reported the highest morbidity for colored males from venereal diseases excluding EPTS cases, being followed by the Third and Fifth Service Commands (see chart on page 25). The rate of 295 per thousand for the Second Service Command was about 50 percent higher than the November rate for colored males in the country as a whole. The corresponding admission rate for the Fifth Service Command was 236 per thousand which was only slightly higher than the rate of 218 per thousand registered in the Third Service Command. The Sixth Service Command, with a rate of 149 per thousand, reported the lowest morbidity from these causes among colored males, followed by the Seventh and Ninth Service Commands, with rates of about 170 per thousand.

For other Army personnel there was also considerable variation by Service Command in morbidity from venereal diseases, excluding EPTS cases. The Fifth


Service Command with a rate of 41 per thousand (or about 50 percent higher than that for the country as a whole) and the Third and the Sixth Service Commands with rates of 34 per thousand had the highest admission rates. The lowest morbidity was registered by the Military District of Washington (13 per thousand), followed by the First Service Command (21 per thousand).

For colored males the following stations reported admission rates in excess of 350 per thousand from all venereal diseases excluding EPTS cases: Cp. Kilmer, N.J., Cp. Shanks, N.Y., Cp. Breckinridge, Ky., Cp. Campbell, Ky., Cp. Livingston, La., Cp. Beale, Calif., and Cp. Stoneman, Calif.

The highest admission rates for syphilis excluding EPTS cases for colored males were reported from Cp. Shanks, N.Y. (146 per thousand), Cp. Beale, Calif. (112 per thousand), and Cp. Campbell, Ky. (103 per thousand).

VENEREAL DISEASE (EXCLUDING EPTS CASES) ADMISSION RATES BY SERVICE COMMAND

FOR THE FOUR WEEK PERIOD ENDING 24 NOVEMBER 1944



VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

TOTAL ARMY IN CONTINENTAL UNITED STATES 1944

VOLUME IV REPORT NO. 47

| SERVICE COMMAND | MONTH* | | | | | | | | | | | | TOTAL YEAR |
|--------------------------------------|---------|----------|------------|--------|--------|-----------|-------|--------|----------------|---------|----------|---------------|---------------|
| | JANUARY | FEBRUARY | MARCH ‡ | APRIL | MAY | JUNE ‡ | JULY | AUGUST | SEPTEMBER ‡ | OCTOBER | NOVEMBER | DECEMBER ‡ | |
| NON-EFFECTIVE RATE PER 1000 STRENGTH | | | | | | | | | | | | | |
| TOTAL UNITED STATES | 1.60 | 1.50 | 1.20 | .95 | .86 | .81 | .80 | .86 | .90 | .84 | .81 | | |
| FIRST SERVICE COMMAND | 1.3 | 1.1 | 1.0 | .9 | .8 | .8 | .8 | .8 | .9 | 1.1 | 1.2 | | |
| SECOND SERVICE COMMAND | 2.4 | 2.3 | 1.9 | 1.3 | 1.3 | 1.0 | 1.1 | 1.1 | .9 | .9 | .9 | | |
| THIRD SERVICE COMMAND | 2.6 | 2.4 | 2.0 | 1.4 | 1.2 | 1.0 | 1.2 | 1.4 | 1.5 | 1.4 | 1.6 | | |
| MIL. DIST. OF WASHINGTON | 1.3 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.3 | 1.5 | 1.0 | .9 | .7 | | |
| FOURTH SERVICE COMMAND | 1.6 | 1.3 | .9 | .8 | .7 | .7 | .7 | .7 | .7 | .7 | .6 | | |
| FIFTH SERVICE COMMAND | 2.1 | 2.3 | 1.8 | 1.5 | 1.4 | 1.6 | 1.6 | 1.6 | 1.8 | 1.6 | 1.3 | | |
| SIXTH SERVICE COMMAND | 1.4 | 1.6 | 1.4 | 1.0 | 1.1 | .9 | 1.0 | 1.1 | 1.1 | 1.1 | .7 | | |
| SEVENTH SERVICE COMMAND | 1.8 | 1.7 | 1.3 | .8 | .7 | .7 | .7 | .6 | .6 | .6 | .5 | | |
| EIGHTH SERVICE COMMAND | 1.2 | 1.1 | 1.0 | .9 | .7 | .7 | .6 | .8 | .9 | .8 | .8 | | |
| NINTH SERVICE COMMAND | 1.5 | 1.4 | 1.1 | .7 | .8 | .8 | .8 | .8 | .8 | .7 | .8 | | |
| NUMBER OF DAYS LOST | | | | | | | | | | | | | |
| TOTAL UNITED STATES | 212951 | 192777 | 186618 | 114757 | 100676 | 116220 | 89778 | 94495 | 118859 | 84399 | 76447 | | |
| FIRST SERVICE COMMAND | 5277 | 4542 | 4245 | 2770 | 2586 | 2836 | 1904 | 2123 | 3085 | 2840 | 3001 | | |
| SECOND SERVICE COMMAND | 16481 | 15838 | 15120 | 7804 | 7761 | 7637 | 6042 | 6571 | 6765 | 5417 | 5358 | | |
| THIRD SERVICE COMMAND | 22264 | 20916 | 20712 | 10727 | 9593 | 9648 | 8829 | 9063 | 12218 | 8386 | 8846 | | |
| MIL. DIST. OF WASHINGTON | 2288 | 1929 | 2345 | 1852 | 2006 | 2476 | 2273 | 2443 | 2059 | 1531 | 1162 | | |
| FOURTH SERVICE COMMAND | 54726 | 45374 | 40495 | 24385 | 22986 | 25399 | 20312 | 20856 | 25021 | 18030 | 15728 | | |
| FIFTH SERVICE COMMAND | 12684 | 12726 | 12635 | 8454 | 8295 | 10945 | 8360 | 8131 | 11945 | 7383 | 4967 | | |
| SIXTH SERVICE COMMAND | 7409 | 7968 | 8278 | 4645 | 5148 | 5894 | 5023 | 5027 | 5950 | 4078 | 2440 | | |
| SEVENTH SERVICE COMMAND | 20898 | 18665 | 17248 | 9084 | 8024 | 9830 | 7190 | 6912 | 8067 | 5487 | 4470 | | |
| EIGHTH SERVICE COMMAND | 32392 | 30535 | 33856 | 24464 | 19185 | 24447 | 17262 | 20080 | 27415 | 19907 | 18689 | | |
| NINTH SERVICE COMMAND | 38532 | 34284 | 31684 | 20572 | 15092 | 17108 | 12583 | 13253 | 16334 | 11340 | 11786 | | |

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES COLORED MALES IN ARMY IN CONTINENTAL UNITED STATES 1944

VOLUME IV REPORT NO. 47

| SERVICE COMMAND | MONTH* | | | | | | | | | | | | TOTAL YEAR |
|--------------------------------------|---------|----------|------------|-------|-------|-----------|-------|--------|----------------|---------|----------|---------------|---------------|
| | JANUARY | FEBRUARY | MARCH ‡ | APRIL | MAY | JUNE ‡ | JULY | AUGUST | SEPTEMBER ‡ | OCTOBER | NOVEMBER | DECEMBER ‡ | |
| NON-EFFECTIVE RATE PER 1000 STRENGTH | | | | | | | | | | | | | |
| TOTAL UNITED STATES | 7.1 | 6.9 | 5.4 | 4.2 | 4.3 | 4.1 | 4.4 | 4.6 | 4.5 | 4.2 | 4.5 | | |
| FIRST SERVICE COMMAND | 4.3 | 4.6 | 5.3 | 2.4 | 4.4 | 3.6 | 2.9 | 2.8 | 2.7 | 2.7 | 3.5 | | |
| SECOND SERVICE COMMAND | 18.7 | 14.2 | 10.8 | 7.3 | 9.4 | 7.1 | 7.4 | 7.7 | 6.0 | 5.4 | 6.0 | | |
| THIRD SERVICE COMMAND | 12.9 | 11.6 | 9.1 | 5.3 | 5.8 | 4.9 | 6.0 | 5.8 | 5.5 | 5.6 | 7.1 | | |
| MIL. DIST. OF WASHINGTON | 13.5 | 11.3 | 11.0 | 11.0 | 11.7 | 11.8 | 15.2 | 15.2 | 11.2 | 6.9 | 8.4 | | |
| FOURTH SERVICE COMMAND | 6.1 | 5.9 | 4.4 | 3.7 | 3.7 | 3.6 | 3.6 | 4.4 | 3.8 | 3.8 | 3.8 | | |
| FIFTH SERVICE COMMAND | 9.7 | 9.0 | 7.8 | 6.2 | 5.5 | 6.5 | 7.4 | 5.9 | 6.8 | 6.0 | 5.5 | | |
| SIXTH SERVICE COMMAND | 5.3 | 5.3 | 4.3 | 2.9 | 5.3 | 4.1 | 5.0 | 5.1 | 5.6 | 5.0 | 5.1 | | |
| SEVENTH SERVICE COMMAND | 5.5 | 7.6 | 3.9 | 3.4 | 3.2 | 3.2 | 2.9 | 2.8 | 4.0 | 3.1 | 3.1 | | |
| EIGHTH SERVICE COMMAND | 5.3 | 4.5 | 4.7 | 3.7 | 3.3 | 3.7 | 3.8 | 4.0 | 4.3 | 4.4 | 4.1 | | |
| NINTH SERVICE COMMAND | 5.6 | 5.9 | 3.6 | 3.9 | 4.0 | 3.5 | 4.4 | 4.3 | 4.1 | 3.2 | 3.9 | | |
| NUMBER OF DAYS LOST | | | | | | | | | | | | | |
| TOTAL UNITED STATES | 81215 | 74792 | 68573 | 41485 | 42459 | 48421 | 39789 | 39329 | 47980 | 32797 | 32185 | | |
| FIRST SERVICE COMMAND | 1251 | 1313 | 1965 | 856 | 1515 | 1563 | 1020 | 1123 | 1659 | 1432 | 1711 | | |
| SECOND SERVICE COMMAND | 10713 | 8378 | 8422 | 4440 | 4889 | 4559 | 3488 | 3702 | 3453 | 2818 | 3000 | | |
| THIRD SERVICE COMMAND | 12357 | 12027 | 12303 | 5149 | 5027 | 5374 | 5262 | 5109 | 6903 | 4837 | 5600 | | |
| MIL. DIST. OF WASHINGTON | 966 | 814 | 990 | 782 | 847 | 1045 | 959 | 946 | 644 | 372 | 434 | | |
| FOURTH SERVICE COMMAND | 20358 | 18558 | 16522 | 10998 | 10551 | 11887 | 9306 | 9309 | 10557 | 7272 | 5460 | | |
| FIFTH SERVICE COMMAND | 4896 | 4429 | 4334 | 2578 | 2737 | 3842 | 3272 | 2593 | 3906 | 2691 | 1925 | | |
| SIXTH SERVICE COMMAND | 2030 | 2151 | 2169 | 1240 | 2106 | 1715 | 1506 | 1465 | 1705 | 988 | 800 | | |
| SEVENTH SERVICE COMMAND | 5329 | 6850 | 3795 | 2316 | 2279 | 3037 | 2160 | 1998 | 3401 | 1873 | 1674 | | |
| EIGHTH SERVICE COMMAND | 11370 | 8855 | 11071 | 7510 | 6139 | 8556 | 7020 | 7429 | 9821 | 7280 | 6390 | | |
| NINTH SERVICE COMMAND | 11945 | 11417 | 7002 | 5616 | 6369 | 6843 | 5796 | 5655 | 5931 | 3234 | 4191 | | |

* BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

ARMY EXCLUSIVE OF COLORED MALES, CONTINENTAL UNITED STATES 1944

VOLUME IV REPORT NO. 47

| SERVICE COMMAND | MONTH* | | | | | | | | | | | | TOTAL YEAR |
|--------------------------------------|---------|----------|------------|-------|-------|-----------|-------|--------|----------------|---------|----------|---------------|---------------|
| | JANUARY | FEBRUARY | MARCH ‡ | APRIL | MAY | JUNE ‡ | JULY | AUGUST | SEPTEMBER ‡ | OCTOBER | NOVEMBER | DECEMBER ‡ | |
| NON-EFFECTIVE RATE PER 1000 STRENGTH | | | | | | | | | | | | | |
| TOTAL UNITED STATES | 1.08 | 1.00 | .83 | .66 | .54 | .51 | .49 | .55 | .59 | .56 | .50 | | |
| FIRST SERVICE COMMAND | 1.1 | .8 | .6 | .7 | .4 | .4 | .4 | .5 | .5 | .7 | .6 | | |
| SECOND SERVICE COMMAND | .9 | 1.2 | 1.0 | .6 | .5 | .4 | .5 | .5 | .5 | .5 | .5 | | |
| THIRD SERVICE COMMAND | 1.3 | 1.1 | 1.0 | .8 | .7 | .5 | .6 | .7 | .8 | .7 | .7 | | |
| MIL. DIST. OF WASHINGTON | .8 | .7 | .7 | .6 | .7 | .7 | .8 | .9 | .7 | .7 | .5 | | |
| FOURTH SERVICE COMMAND | 1.1 | .9 | .6 | .5 | .5 | .4 | .4 | .4 | .4 | .4 | .4 | | |
| FIFTH SERVICE COMMAND | 1.4 | 1.6 | 1.3 | 1.1 | 1.1 | 1.1 | 1.1 | 1.2 | 1.4 | 1.1 | .9 | | |
| SIXTH SERVICE COMMAND | 1.1 | 1.2 | 1.1 | .8 | .7 | .7 | .8 | .8 | .9 | .8 | .5 | | |
| SEVENTH SERVICE COMMAND | 1.5 | 1.1 | 1.1 | .6 | .5 | .5 | .5 | .5 | .4 | .4 | .3 | | |
| EIGHTH SERVICE COMMAND | .8 | .9 | .7 | .7 | .5 | .5 | .4 | .5 | .6 | .6 | .6 | | |
| NINTH SERVICE COMMAND | 1.1 | 1.1 | .9 | .8 | .5 | .5 | .5 | .5 | .6 | .6 | .5 | | |
| NUMBER OF DAYS LOST | | | | | | | | | | | | | |
| TOTAL UNITED STATES | 131736 | 117985 | 118045 | 73272 | 58217 | 67799 | 49989 | 55130 | 70879 | 51602 | 44262 | | |
| FIRST SERVICE COMMAND | 4026 | 3229 | 2280 | 1914 | 1071 | 1273 | 884 | 1000 | 1426 | 1408 | 1290 | | |
| SECOND SERVICE COMMAND | 5768 | 7460 | 6698 | 3364 | 2872 | 3078 | 2554 | 2869 | 3312 | 2599 | 2358 | | |
| THIRD SERVICE COMMAND | 9907 | 8889 | 8409 | 5578 | 4566 | 4274 | 3567 | 3954 | 5315 | 3549 | 3246 | | |
| MIL. DIST. OF WASHINGTON | 1322 | 1115 | 1355 | 1070 | 1159 | 1431 | 1314 | 1497 | 1415 | 1159 | 728 | | |
| FOURTH SERVICE COMMAND | 34368 | 26816 | 23973 | 13387 | 12435 | 13512 | 11006 | 11547 | 14464 | 10758 | 9268 | | |
| FIFTH SERVICE COMMAND | 7788 | 8297 | 8301 | 5876 | 5558 | 7103 | 5088 | 5538 | 8039 | 4692 | 3042 | | |
| SIXTH SERVICE COMMAND | 5379 | 5817 | 6109 | 3405 | 3042 | 4179 | 3517 | 3562 | 4245 | 3090 | 1640 | | |
| SEVENTH SERVICE COMMAND | 15569 | 11815 | 13453 | 6768 | 5745 | 6793 | 5030 | 4914 | 4666 | 3614 | 2796 | | |
| EIGHTH SERVICE COMMAND | 21022 | 21680 | 22785 | 16954 | 13046 | 15891 | 10242 | 12651 | 17594 | 12627 | 12299 | | |
| NINTH SERVICE COMMAND | 26587 | 22867 | 24682 | 14956 | 8723 | 10265 | 6787 | 7598 | 10403 | 8106 | 7595 | | |

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

RESTRICTED

VENEREAL DISEASE ADMISSION RATES[†]

VOLUME IV REPORT NO. 51

FOR THE 4 WEEK PERIOD ENDING 24 November 1944

FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER

| SERVICE COMMAND AND STATION | EXCLUDING EPTS CASES* | | | | | | | | | | | | TOTAL EPTS CASES | | | SERVICE COMMAND AND STATION | EXCLUDING EPTS CASES* | | | | | | | | | | | | TOTAL EPTS CASES | | |
|--------------------------------------|-----------------------|--------------|-----------|------------|--------------|-----------|------------|--------------|-----------|------------|--------------|-----------|------------------------|--------------|-----------|--------------------------------------|-----------------------|--------------|-----------|------------|--------------|-----------|------------|--------------|-----------|------------|--------------|-----------|------------------------|--------------|-----------|
| | SYPHILIS | | | GONORRHEA | | | OTHER | | | TOTAL | | | | | | | SYPHILIS | | | GONORRHEA | | | OTHER | | | TOTAL | | | | | |
| | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER |
| TOTAL UNITED STATES | 4 | 30 | 2 | 34 | 153 | 24 | 1 | 12 | 0 | 39 | 195 | 26 | 7 | 53 | 3 | THIRD SERVICE COM. | 7 | 30 | 3 | 51 | 170 | 31 | 3 | 18 | 0? | 61 | 219 | 34 | 33 | 191 | 5 |
| | | | | | | | | | | | | | | | | Aberdeen Prov. Md. Grd., | 3? | 9? | 2? | 27 | 76 | 20 | 3? | 19? | 1? | 33 | 104 | 23 | 1? | 5? | 1? |
| FIRST SERVICE COMMAND | 7 | 26 | 2 | 41 | 138 | 19 | 2 | 11 | | 50 | 175 | 21 | 2 | 5 | 2 | Hampton Rds, PoE, Va. | 17 | 58 | 2? | 51 | 156 | 11? | 3? | | 4? | 71 | 214 | 17 | | | |
| | | | | | | | | | | | | | | | | Indiantown Gap., Pa. | 3? | 5? | | 88 | 133 | 23 | 5? | 9? | | 96 | 147 | 23 | 14 | 23 | |
| Boston, Mass. PoE | 7 | 37 | 1? | 45 | 150 | 25 | 2? | 11? | | 54 | 198 | 26 | | | | Lee, Cp., Va. | 6 | 17 | 1? | 53 | 140 | 12 | 8 | 27 | | 67 | 184 | 13 | 3 | 8 | 1? |
| Devens, Ft., Mass. | 3? | 4? | 2? | 93 | 147 | 14 | | | | 96 | 151 | 16 | 4 | 1? | 7? | Pickett, Cp., Va. | 16 | 73 | 7 | 52 | 212 | 27 | 2? | 13? | | 70 | 298 | 34 | | | |
| Edwards, Cp., Mass. | 15 | 43? | 10? | 48 | 142 | 31 | 2? | 14? | | 65 | 199 | 41 | | | | Reynolds, Cp., Pa. | 8 | 21? | 5? | 47 | 181 | 17 | 11 | 56 | 2? | 66 | 258 | 24 | | | |
| Stations Under 1000 Colored Strength | 7 | 117 | 2 | 18 | 65 | 16 | 3 | 71 | | 28 | 253 | 18 | 3 | 39 | 1? | Stations Under 1000 Colored Strength | 6 | 71 | 3 | 54 | 319 | 40 | 0? | 6? | | 60 | 396 | 43 | 62 | 1135 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SECOND SERVICE COMMAND | 6 | 38 | 3 | 42 | 228 | 24 | 3 | 29 | 0? | 51 | 295 | 27 | 6 | 42 | 3 | MIL. DIST. OF WASH. | 2 | 28? | 1 | 17 | 155 | 12 | 0? | | 0? | 19 | 183 | 13 | | | |
| | | | | | | | | | | | | | | | | Stations Under 1000 Colored Strength | 2 | 28 | 1 | 17 | 155 | 12 | 0? | | 0? | 19 | 183 | 13 | | | |
| Dix, Ft., N. J. | 4? | 9? | 2? | 71 | 165 | 38 | 2? | 9? | | 77 | 183 | 40 | 70 | 168 | 36 | | | | | | | | | | | | | | | | |
| Kilmer, Cp., N. J. | 11 | 62 | 5 | 59 | 284 | 35 | 6 | 52 | 1? | 76 | 398 | 41 | | | | | | | | | | | | | | | | | | | |
| New York, PoE, N. Y. | | | | 38 | 126 | 8 | | | | 38 | 128 | 9 | | | | FOURTH SERVICE COM. | 5 | 34 | 2 | 32 | 128 | 25 | 1 | 14 | 0 | 38 | 176 | 27 | 5 | 60 | 1 |
| Shanks, Cp., N. Y. | 15 | 146 | 3? | 84 | 606 | 37 | 8 | 95 | 1? | 107 | 847 | 41 | | | | | | | | | | | | | | | | | | | |
| Stations Under 1000 Colored Strength | 5 | 49 | 3 | 28 | 208 | 20 | 2 | 38 | 0? | 35 | 295 | 23 | 0? | | 0? | Benning, Ft., Ga. | 8 | 28 | 4 | 45 | 113 | 34 | 2 | 11 | 0? | 55 | 152 | 38 | 29 | 207 | |
| | | | | | | | | | | | | | | | | Bragg, Ft., N. C. | 6 | 31 | 3 | 36 | 180 | 20 | 5 | 39 | 1? | 47 | 250 | 24 | 28 | 274 | 2? |
| | | | | | | | | | | | | | | | | Butner, Cp., N. C. | 2? | 31? | 1? | 43 | 261 | 32 | 2? | 42? | | 47 | 334 | 33 | | | |
| | | | | | | | | | | | | | | | | Charleston, PoE, S.C | 11 | 40? | 4? | 33 | 120 | 10? | 2? | 8? | | 46 | 168 | 14 | | | |
| | | | | | | | | | | | | | | | | Daniel Fld., Ga. | 3? | 10? | | 49 | 82 | 34 | 7? | 21? | | 59 | 113 | 34 | 3? | 10? | |

FORM 56-727 REVISED 10 OCTOBER 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
[†] ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
 OFFICE OF THE SURGEON GENERAL
 MEDICAL STATISTICS DIVISION

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

RESTRICTED

VOLUME IV REPORT NO. 51

VENEREAL DISEASE ADMISSION RATES†

FOR THE 4 WEEK PERIOD ENDING 24 November 1944

FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER

| SERVICE COMMAND AND STATION | EXCLUDING EPTS CASES* | | | | | | | | | | | | TOTAL EPTS CASES | | | SERVICE COMMAND AND STATION | EXCLUDING EPTS CASES* | | | | | | | | | | | | TOTAL EPTS CASES | | |
|---|-----------------------|--------------|-----------|------------|--------------|-----------|------------|--------------|-----------|------------|--------------|-----------|------------------------|--------------|-----------|---|-----------------------|--------------|-----------|------------|--------------|-----------|------------|--------------|-----------|------------|--------------|-----------|------------------------|--------------|-----------|
| | SYPHILIS | | | GONORRHEA | | | OTHER | | | TOTAL | | | | | | | SYPHILIS | | | GONORRHEA | | | OTHER | | | TOTAL | | | | | |
| | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER | TOTAL ARMY | COLORED MALE | ALL OTHER |
| (Cont'd) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FOURTH SERVICE COM. | | | | | | | | | | | | | | | | SIXTH SERVICE COM. | 3 | 23 | 2 | 36 | 124 | 32 | 0? | 2? | 0? | 39 | 149 | 34 | 18 | 239 | 7 |
| Fla. Gordon Johnston, Cp., | 7 | 24? | 2? | 7 | | 8 | | | | 14 | 24? | 10 | | | | | | | | | | | | | | | | | | | |
| Jackson, Ft., S. C. | 8 | 54 | 5 | 40 | 130 | 34 | 3 | 38 | 1? | 51 | 222 | 40 | | | | Ellis, Cp., Ill. | 4 | 8? | 4? | 58 | 109 | 46 | 2? | | 3? | 64 | 117 | 53 | | | |
| MacDill Fld., Fla. | 3? | 4? | 2? | 75 | 218 | 13 | 1? | 4? | | 79 | 226 | 15 | | | | Stations Under 1000 Colored Strength | 2 | 47 | 2 | 33 | 148 | 30 | 0? | 6? | | 35 | 201 | 32 | 21 | 602 | 8 |
| McClellan, Ft., Ala. | 2 | 11? | 1? | 28 | 109 | 19 | 0? | | 0? | 30 | 120 | 20 | 7 | 26 | 5 | | | | | | | | | | | | | | | | |
| Orlando, Fla. | 3? | 10? | 2? | 20 | 50? | 17 | | | | 23 | 60 | 19 | | | | | | | | | | | | | | | | | | | |
| Rucker, Cp., Ala. | 4? | 21? | 1? | 34 | 97 | 23 | 1? | 5? | | 39 | 123 | 24 | | | | SEVENTH SERVICE COM. | 2 | 16 | 2 | 32 | 144 | 25 | 1 | 8 | 0? | 35 | 168 | 27 | 2 | 4 | 1 |
| Shelby, Cp., Miss. | 6 | 77 | 3 | 38 | 198 | 30 | 3 | 45 | 1? | 47 | 320 | 34 | 4 | 51 | 2 | | | | | | | | | | | | | | | | |
| Stewart, Cp., Ga. | 3? | 32? | | 21 | 89 | 15 | 2? | 24? | | 26 | 145 | 15 | | | | F.E. Warren, Ft., Wyo. | 5 | 14 | | 63 | 146 | 19 | 4? | 12? | | 72 | 172 | 19 | | | |
| Tuskegee, Ala. AAF | | | | 16? | 17? | | | | | 16? | 17? | | 5? | 6? | | Leonard Wood, Ft., Mo. | 2? | 7? | 1? | 32 | 257 | 6 | 2? | 15? | | 36 | 279 | 7 | 0? | | 0? |
| Van Dorn, Cp., Miss. | 3 | 36? | 1? | 25 | 135 | 18 | 2? | 18? | 1? | 30 | 189 | 20 | 1? | 9? | 1? | Stations Under 1000 Colored Strength | 2 | 20 | 2 | 30 | 103 | 27 | 0 | 3? | 0? | 32 | 126 | 29 | 2 | 8 | 2 |
| Colored Strength | 4 | 50 | 2 | 30 | 149 | 25 | 1 | 11 | 0 | 35 | 210 | 27 | 2 | 7 | 2 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | EIGHTH SERVICE COM. | 4 | 38 | 2 | 29 | 159 | 21 | 1 | 6 | 0 | 34 | 203 | 23 | 4 | 30 | 2 |
| FIFTH SERVICE COMMAND | 6 | 28 | 3 | 50 | 195 | 37 | 2 | 23 | 1? | 58 | 236 | 41 | 12 | 33 | 10 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | Bliss, Ft., Tex. | 5 | 66 | 2? | 16 | 131 | 10 | 1? | | 1? | 22 | 197 | 13 | 8 | 33? | 6 |
| Atterbury, AAF, Ind. | 19? | 25? | | 85 | 114 | | | | | 104 | 139 | | | | | Claiborne, Cp., La. | 13 | 30 | 1? | 48 | 98 | 12 | 0? | 1? | | 61 | 129 | 13 | 5 | 13 | |
| Breckinridge, Cp., Ky. | 19 | 28? | 13? | 159 | 318 | 68 | 21 | 57 | | 199 | 403 | 81 | | | | Gruber, Cp., Okla. | 5 | 49? | 3? | 58 | 286 | 46 | 0? | | 1? | 63 | 335 | 50 | | | |
| Campbell, Cp., Ky. | 13 | 103 | 6 | 44 | 286 | 27 | | | | 57 | 389 | 33 | | | | Hood, Cp., Tex. | 4 | 50 | 2 | 20 | 136 | 15 | 1? | 15? | | 25 | 201 | 17 | 0? | | 0? |
| Knox, Ft., Ky. | 3 | 13? | 1? | 47 | 183 | 31 | 3 | 22 | 0? | 53 | 218 | 32 | 2? | | 2? | Livingston, Cp., La. | 35 | 92 | 7? | 119 | 354 | | 6? | 18? | | 160 | 464 | 7? | | | |
| Stations Under 1000 Colored Strength | 4 | 23 | 3 | 44 | 97 | 41 | 1? | 17? | | 49 | 137 | 44 | 21 | 107 | 17 | Maxey, Cp., Tex. | 4 | 37? | 2? | 17 | 178 | 6 | 1? | 9? | 1? | 22 | 224 | 9 | | | |
| | | | | | | | | | | | | | | | | New Orleans, PoE, La. | 7 | 18 | 1? | 80 | 180 | 21 | 4 | 12 | | 91 | 210 | 22 | | | |

FORM SG-727 REVISED 10 OCTOBER 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

RESTRICTED

VOLUME IV REPORT NO. 51
FOR THE 4 WEEK PERIOD ENDING 24 November 1944

[illegible]

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

- 31 -

